



PeptideStacks.ca

COMMUNITY-REPORTED RESEARCH SUMMARY

AOD-9604

10 MG

Preparation examples, syringe conversion, community-reported patterns and important limitations.

PRODUCT SCOPE

Live PeptideStacks variants: 10 MG

Prepared 12 August 2026 | Sources reviewed 2026-08-12

Educational use only - not medical advice

AOD-9604 - preparation and dose math

These are calculation examples only. The concentration assumptions below are explicit so syringe units are never separated from vial strength and diluent volume.

10 MG vial - 2 mL example

Add 2 mL supplied acetic-acid water (AA water)

Concentration: 5 mg/mL

Each U-100 unit = 50 mcg

10 MG vial - 1 mL example

Add 1 mL supplied acetic-acid water (AA water)

Concentration: 10 mg/mL

Each U-100 unit = 100 mcg

Conversion table

Reported amount	10 MG setup	10 MG setup
100 mcg	2 units	1 units
250 mcg	5 units	2.5 units
300 mcg	6 units	3 units
500 mcg	10 units	5 units

CALCULATION CHECK

Always recalculate from the actual vial strength and diluent volume. A U-100 unit is 0.01 mL; it is not a dose by itself.

AOD-9604 - community-reported patterns

Anecdotal summary of the cited community discussions. These observations are descriptive, not a recommendation or evidence of safety or efficacy.

Recurring report	Frequency seen	Context in reports
250 mcg	Once daily	Lower recurring amount
300 mcg	Once daily	Most repeated amount reviewed
500 mcg	Once daily	Higher community reports

What recurred across reports

- Community discussions most often centered on fat-loss and body-composition goals.
- The amount, frequency, route and cycle length varied substantially between reports.
- Reported outcomes were commonly confounded by diet, training, other products or existing treatment.

Important limitations

- AOD-9604 is not an approved weight-loss medication, and online outcomes do not establish benefit or safety. Confirm the product form and the labeled acetic-acid concentration because peptide formulation and aggregation are sensitive to pH and manufacturing conditions.
- Community reports are uncontrolled anecdotes and do not establish an appropriate dose, safety, product identity, purity or efficacy.

! Important Medical Disclaimer

EDUCATIONAL INFORMATION ONLY

This document summarizes calculation examples and community discussion about AOD-9604. It is not medical advice, a prescription, a diagnosis, a treatment plan, or a recommendation to use, inject, purchase, compound, or administer any product.

COMMUNITY REPORTS ARE NOT CLINICAL EVIDENCE

Online community posts are self-reported, uncontrolled, may be inaccurate, and cannot establish identity, purity, dosing accuracy, safety, efficacy, or causation. The ranges shown describe what was reported; they do not define an appropriate dose.

PROFESSIONAL DIRECTIONS PREVAIL

Use only under the direction of a licensed healthcare professional and qualified dispensing pharmacy. Follow the supplied concentration, diluent, storage, beyond-use date, injection technique, monitoring and individualized directions.

RECONSTITUTION AND INJECTION RISK

Incorrect concentration, syringe selection, unit conversion, handling, storage or sterile technique can cause unintended dosing, contamination, infection, abscess, tissue injury or allergic reaction.

WHEN TO SEEK URGENT CARE

Stop and seek urgent medical attention for trouble breathing, facial or throat swelling, fainting, chest pain, severe confusion, persistent vomiting, or signs of a serious injection-site infection.

SOURCE BASIS

FDA Pharmacy Compounding Advisory Committee review: AOD-9604 - <https://www.fda.gov/media/183584/download> - retrieved 2026-08-12

PubMed literature search: AOD-9604 - <https://pubmed.ncbi.nlm.nih.gov/?term=AOD-9604> - retrieved 2026-08-12